- 65 -

## CLAIMS

 A hardenable termite-controlling composition which comprises a hydraulic material and a soil, and is in the form of a dust-granule mixture.

5

- 2. A hardenable termite-controlling composition which comprises a hydraulic material and a termiticide, and is in the form of a dust-granule mixture.
- 3. A hardenable termite-controlling composition
  which comprises a hydraulic material, a soil and a
  termiticide, and is in the form of a dust-granule mixture.
  - 4. A hardenable termite-controlling composition according to any one of claims 1 to 3, which is prepared without mixing a water.
- 5. A hardenable termite-controlling composition according to claim 1 or 3, wherein the soil comprises a gravel component and a fine grain component, and the weight ratio of the gravel component relative to the fine grain component is 99.9/0.1 to 5/95.
- 6. A hardenable termite-controlling composition according to claim 5, wherein the fine grain component comprises a sand component and a dirt component, and the weight ratio of the sand component relative to the dirt component is 99/1 to 10/90.
- 7. A hardenable termite-controlling composition according to claim 1, wherein the soil comprises a crushed inorganic waste.

- 8. A hardenable termite-controlling composition according to claim 1 or 3, wherein the weight ratio of the soil relative to the hydraulic material is 95/5 to 70/30.
- 9. A process for controlling a termite, which comprises at least a step (A) for laying a hardenable termite-controlling composition recited in any one of claims 1 to 8 on an area to be treated.

5

10

15

25

- 10. A termite-controlling process according to claim 9, comprising the step (A) for laying the hardenable termite-controlling composition on the area to be treated, and a step (B) for applying at least a water to the laid hardenable termite-controlling composition.
- 11. A termite-controlling process according to claim 10, wherein the step (B) comprises a step (B<sub>1</sub>) for applying a liquid containing at least a water to the laid hardenable termite-controlling composition, or a step (B<sub>2</sub>) for laying a concrete or soil containing at least a water on the laid hardenable termite-controlling composition.
- 12. A termite-controlling process according to claim 11, wherein the liquid applied in the step  $(B_1)$  contains a termiticide.
  - 13. A process for controlling a termite, which comprises a step (C) for mixing a hardenable termite-controlling composition recited in any one of claims 1 to 8 with at least a water, and a step (D) for laying the mixture on an area to be treated.
    - 14. A termite-controlling process according to

claim 13, wherein the hardenable termite-controlling composition, the water and a termiticide are mixed in the step (C).

15. A termite-controlling process according to 5 claim 9 or 13, wherein the area to be treated includes at least one area selected from the group consisting of an infested area, an inhabited area and a bleeding area of termites.